

# Compliant

Great news! Based on our scan, your webpage is accessible and conforms with WCAG standards.



Your website is **accessible!**



### Congratulations!


Your website is among the **3%** of inclusive and accessible websites globally. Well done!

● Inclusive websites ● Not inclusive websites


## Your Commitment to Accessibility & Inclusion Empowers Millions Daily



People worldwide have a **disability**



Of website visitors with **disabilities will leave a website** that is not accessible



Of people with **disabilities use the internet** on a daily basis

**x4**

Companies that prioritize accessibility and provide ADA-compliant internet access are four times as likely to outperform their competitors in total shareholder returns.

#	Element	Relevant	Successes	Failures	Score
1	<p>Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".</p> <p><b>Successful Elements</b></p> <pre>&lt;span class="content-mid " style=";background-color:#ffffff!important;color:#000000!important;" tabindex="0" role="button"&gt; &lt;div class="inner " style=";background-color:#ffffff!important;color:#000000!important;"&gt; ..</pre> <pre>&lt;a target="_blank" href="#" data-acsb-tooltip="New Window" data-custom-button-processed="true" role="button" data-acsb-textual-ops="color"&gt;&lt;span data-="true" " aria-hidden="false" &gt; Color Black &lt;/span&gt;&lt;i class="fa fa-google-plus " style=";background-color:#ffffff!important;color:#000000!important;"&gt; ..</pre>	Yes	3	0	100
2	<p>Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.</p> <p><b>Successful Elements</b></p> <pre>&lt;span class="content-mid " style=";background-color:#ffffff!important;color:#000000!important;" tabindex="0" role="button"&gt; &lt;div class="inner " style=";background-color:#ffffff!important;color:#000000!important;"&gt; ..</pre> <pre>&lt;a target="_blank" href="#" data-acsb-tooltip="New Window" data-custom-button-processed="true" role="button" data-acsb-textual-ops="color"&gt;&lt;span data-="true" " aria-hidden="false" &gt; Color Black &lt;/span&gt;&lt;i class="fa fa-google-plus " style=";background-color:#ffffff!important;color:#000000!important;"&gt; ..</pre>	Yes	3	0	100
3	<p>Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.</p> <p><b>Successful Elements</b></p> <pre>&lt;a class="popup-youtube" href="https://www.youtube.com/watch?v=Rwc0QpZ4AwQ?autoplay=1;rel=0&amp;controls=0&amp;showinfo=0" data-custom-button-processed="true"&gt; &lt;span data-="true" " aria-hidden="false" &gt; YouTube &lt;/span&gt;&lt;img decoding="async" width= ...</pre>	Yes	13	0	100

```
<a href="http://xavierbuilders.wpengine.com/?service=residential-design" target
="_blank" class="btn btn-line " data-acsb-tooltip="READ MORE | New Window" data-c
ustom-button-processed="true" style=";background-color:#ffffff!important;color:#0
00000! ...
```

```
<a href="https://xavierdesignbuild.com/" aria-current="page" data-custom-button-p
rocessed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tool
tip="Use </> to navigate" style=";background-color:#ffffff!important;color:#000000
!i ...
```

```
<a href="https://xavierdesignbuild.com/projects/" data-custom-button-processed="t
rue" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:
#ffffff!important;color:#000000!important;">Projects</a>
```

```
<a href="https://xavierdesignbuild.com/our-services/" data-custom-button-processe
d="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-co
lor:#ffffff!important;color:#000000!important;">What we do</a>
```

```
<a href="https://xavierdesignbuild.com/about/" data-custom-button-processed="tru
e" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#f
ffffff!important;color:#000000!important;">ABOUT XB</a>
```

```
<a href="https://xavierdesignbuild.com/blog/" data-custom-button-processed="true"
data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffff
ff!important;color:#000000!important;">Blog</a>
```

```
<a href="https://xavierdesignbuild.com/get-a-quote/" data-custom-button-processed
="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-col
or:#ffffff!important;color:#000000!important;">Get a Quote</a>
```

```
<a href="https://xavierdesignbuild.com/contact/" data-custom-button-processed="tr
ue" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#
ffffff!important;color:#000000!important;">Contact</a>
```

```
<a href="http://xavierdesignbuild.com" data-custom-button-processed="true" style
=";background-color:#ffffff!important;color:#000000!important;">http://xavierdesi
gnbuild.com</a>
```

4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.

Yes

4

0

100

### Successful Elements

```
<a href="http://xavierbuilders.wpengine.com/?service=residential-design" target
="_blank" class="btn btn-line " data-acsb-tooltip="READ MORE | New Window" data-c
ustom-button-processed="true" style=";background-color:#ffffff!important;color:#0
00000! ...
```

```
<a href="http://xavierbuilders.wpengine.com/contact/" target="_blank" style="unde
fined;background-color:#ffffff!important" rel="noopener" data-acsb-tooltip="New W
indow" data-custom-button-processed="true" data-acsb-original-style="color: #0d77
bb;" ...
```

```
<a target="_blank" href="https://www.facebook.com/xavierdesignbuild/" data-acsb-t
ooltip="New Window" data-custom-button-processed="true"><span data-="true" " aria
-hidden="false" > Facebook New Window </span><i class="fa fa-facebook" aria-hidde
n=" ...
```

```
<a target="_blank" href="https://twitter.com/BuildersXavier" data-acsb-tooltip="N
ew Window" data-custom-button-processed="true"><span data-="true" " aria-hidden
="false" > Twitter New Window </span><i class="fa fa-twitter " style=";background
-colo ...
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100
---	--	-----	------	---	-----

#### Successful Elements

```
<h2 class="style-4 " style=";background-color:#ffffff!important;color:#000000!imp
ortant;" role="heading" aria-level="1">Make your space a piece of art. Inspired b
y great design.<span class="id-color " style=";background-color:#ffffff!important;
color: ...
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	13	0	100
---	---	-----	----	---	-----

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	Yes	Pass	-	100
---	--	-----	------	---	-----

#### Successful Elements

```
<span class="typed-65e7d06806ad3 " role="heading" data-acsb-fake-title="true" ari
a-level="2">Mirë se vjen</span>
```

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	
---	--	----	---	---	--

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	2	0	100
---	---	-----	---	---	-----

### Successful Elements

```
<span class="content-mid " style=";background-color:#ffffff!important;color:#000000!important;" tabindex="0" role="button"> <div class="inner " style=";background-color:#ffffff!important;color:#000000!important;"> ..
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100
----	---	-----	------	---	-----

11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	
----	--	----	---	---	--

12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100
----	---	-----	------	---	-----

13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	
----	---	----	---	---	--

14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	
----	---	----	---	---	--

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	Pass	-	100
----	--	-----	------	---	-----

## Successful Elements

```
<ul id="menu-footer-menu" class="menu" data-acsb-menu="ul" ><li id="menu-item-779" class="menu-item menu-item-type-post_type menu-item-object-page menu-item-home current-menu-item page_item page-item-757 current_page_item menu-item-779" data-acsb-men ...
```

16 Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true". No 0 0

17 Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown. No 0 0

18 Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. Yes 7 0 **100**

## Successful Elements

```

```

19 Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute. No 0 0

20 Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none". Yes 22 0

100

### Successful Elements

```
<span aria-hidden="true" data-acsb-force-hidden="true" ><i class="fa fa-circle" aria-hidden="true" data-acsb-force-hidden="true" ></i></span>
```

```
<i class="fa fa-circle" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<span class="vc_empty_space_inner" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon " aria-hidden="true" data-acsb-force-hidden="true" > <i class="id-color icon-paintbrush " aria-hidden="true" data-acsb-force-hidden="true" ></i> </span>
```

```
<i class="id-color icon-paintbrush " aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<span class="icon " aria-hidden="true" data-acsb-force-hidden="true" > <i class="id-color icon-trophy " aria-hidden="true" data-acsb-force-hidden="true" ></i> </span>
```

```
<i class="id-color icon-trophy " aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<span class="icon " aria-hidden="true" data-acsb-force-hidden="true" > <i class="id-color icon-wallet " aria-hidden="true" data-acsb-force-hidden="true" ></i> </span>
```

```
<i class="id-color icon-wallet " aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<span class="icon " aria-hidden="true" data-acsb-force-hidden="true" > <i class="id-color icon-chat " aria-hidden="true" data-acsb-force-hidden="true" ></i> </span>
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	Yes	Pass	-	100
----	--	-----	------	---	-----

### Successful Elements

```
<figure class="wpb_wrapper vc_figure" role="none"> <div class="vc_single_image-wr  
apper vc_box_border_grey"><img loading="lazy" decoding="async" width="500" height  
="689" src="https://xavierdesignbuild.com/wp-content/uploads/2018/04/deco_4.png"  
cl ...
```

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0
----	--	----	---	---

23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0
----	---	----	---	---

24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No	0	0
----	--	----	---	---

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0
----	--	----	---	---

26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0
----	---	----	---	---

27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0
----	---	----	---	---

28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0
----	---	----	---	---

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0
----	---	----	---	---



30 Search forms should include a "role" tag that equals to "search" No 0 0  
(or be wrapped by one) to indicate a search landmark for screen-readers.

31 The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. Yes Pass - 100

#### Successful Elements

```
<title>Xavier Builders South Florida Residential Construction Including Florida Keys – Residential Home Building and Renovation in South Florida from Palm Beach to Key West</title>
```

32 The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. Yes Pass - 100

#### Successful Elements

```
<html lang="en-US" class="js_active vc_desktop vc_transform acsb-light-contrast" style="--acsb-keynav:3px;" id="acsb-light-contrast" ><!--<![endif]><head><meta http-equiv="origin-trial" content="Az520Inasey3TAYqLyojQa8MnmCALSEU29yQFW8dePZ7xQTvSt73p ...
```

33 The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. Yes Pass - 100

#### Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=5" >
```

34 Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections. Yes 3 0 100

## Successful Elements

```
<div class="wpb_wrapper " data-acsb-main="true" role="main"> <!-- Element: OT Heading --> <h1 class="ot_custom_heading " style="undefined;text-align: center;background-color:#ffffff!important" data-acsb-original-style="text-align: center;color: ...
```

```
<footer style=";background-color:#ffffff!important;color:#000000!important;" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"> <div class="main-footer"> <div class="container"> ...
```

35 Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. Yes Pass - 100

36 Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. Yes Pass - 100

37 Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color. Yes 46 0 100

## Successful Elements

```
<span class="id-color ">Our Philosophy</span>
```

```
<h2 class="style-4 " style=";background-color:#ffffff!important;color:#000000!important;" role="presentation" data-acsb-not-title="true">It's not about ideas. It's about making ideas happen<span class="id-color " style=";background-color:#ffffff!impo ...
```

```
<span class="id-color " style=";background-color:#ffffff!important;color:#000000!important;".</span>
```

```
<h2 class="style-4 " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="1">Make your space a piece of art. Inspired by great design.<span class="id-color " style=";background-color:#ffffff!important;color: ...
```

```
<h1 class="ot_custom_heading " style="undefined;text-align: center;background-color:#ffffff!important" data-acsb-original-style="text-align: center;color: #ffffff;" acsb-original-style="text-align: center;color: #ffffff;" role="heading" aria-level="2 ...
```

```
<div class="inner " style=";background-color:#ffffff!important;color:#000000!important; "> Meet & Discuss </div>
```

```
<div class="inner " style=";background-color:#ffffff!important;color:#000000!important;"> Plan and Assess </div>
```

```
<p >Exceptional architecture, interior design and construction projects in Florida always start with a call or email to talk through the project (which may only be an idea or dream, at first). Our commitment to you begins from these simple starting p...
```

```
<span class="typed-65e7d06806ad3 " role="heading" data-acsb-fake-title="true" aria-level="2">Mirë se vjen</span>
```

```
<p >Practicing at the confluence of art, architecture, design and building technology, we collaborate with our clients to create structures and environments that celebrate our clients' lives. By combining the local culture, joy and passion <strong s...
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0
----	--	----	---	---

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0
----	---	----	---	---

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0
----	--	----	---	---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0
----	---	----	---	---

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0
----	--	----	---	---

43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0
----	--	----	---	---

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0
----	--	----	---	---

45	Visually deleted texts (often used to show a previous price of a No sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	
47	Ratings/scores that are represented visually using stars, meters No or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	2	0	100

### Successful Elements

```
<iframe width="304" height="78" role="presentation" name="a-82f18wy6t2q4" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-origin allow-scripts allow-top-navigation allow-modals allow-popups-to-escape-sandbox" src="https:// ...
```

```
<iframe name="c-82f18wy6t2q4" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-origin allow-scripts allow-top-navigation allow-modals allow-popups-to-escape-sandbox" src="https://www.google.com/recaptcha/api2/bframe?hl=en&a ...
```